



NTN Bearing Driveshaft USA CORP.



65 mm x 120 mm x 23 mm SNR 7213HG1UJ74
Angular contact ball bearings

Bearing No. 7213HG1UJ74

7213HG1UJ74 Bearing 2D drawings and 3D CAD models

Size	65x120x23 mm
Bore Diameter	65 mm
Outer Diameter	120 mm
Width	23 mm
d	65 mm
D	120 mm
B	23 mm
C	23 mm
Angle (°)	20 °
d1	82.8 mm
D1	102.3 mm
D2	109.98 mm
a	33 mm
Contact angle	25 °
rs min	1.5 mm
r1s min	1.1 mm
f0	15.04
Precision class	P4
Mass	1.14 kg
Dynamic load, C	66.4 kN
Static load, C0	54.9 kN
Fatigue limit load, Cu	3.05 kN
Nlim (oil)	15,500 rpm
Nlim (grease)	10,500 rpm
Axial displacement K Factor	0.52



NTN Bearing Driveshaft USA CORP.

Preload level	7
Preload value	0.59 kN
Axial rigidity	227 N/ μ m
Radial rigidity	484 N/ μ m
Min operating temperature, T _{min}	-30 ° C
Max operating temperature, T _{max}	120 ° C
Characteristic cage frequency, FTF	0.42 Hz
Characteristic rolling element frequency, BSF	5.69 Hz
Characteristic outer ring frequency, BPF0	6.76 Hz
Characteristic inner ring frequency, BRFI	9.24 Hz
da min	73.5 mm
db min	73.5 mm
Da max	111.5 mm
Db max	111.5 mm
r1a max	1 mm
ra max	1.5 mm
D6	88.3 mm